

Ma

YEAR  
7


LEVELS  
3–4

2004

Year 7 progress test in  
mathematics

# Mark scheme for Paper 1, Paper 2 and Mental mathematics

2004



department for

**education and skills**

creating opportunity, releasing potential, achieving excellence

Sourced from SATs-Papers.co.uk

<https://www.SATs-Papers.co.uk>

# Introduction

The test papers will be marked by external markers. The markers will apply the mark schemes in this booklet, which is provided here to inform teachers.

This booklet contains the mark schemes for Paper 1, Paper 2 and the mental mathematics test. Questions have been named so that each one has a unique identifier.

## The structure of the mark schemes

The marking information for questions in the written tests is set out in the form of tables, which start on page 11 (Paper 1) and page 23 (Paper 2) of this booklet. The two columns on the left-hand side of each table provide a quick reference to the question number, question part, and the total number of marks available for that question part.

The **Correct response** column usually includes two types of information:

- a statement of the requirements for the award of each mark, with an indication of whether credit can be given for correct working, and whether the marks are independent or cumulative
- examples of some different types of correct response, including the most common and the minimum acceptable.

The **Additional guidance** column indicates alternative acceptable responses, and provides details of specific types of response that are unacceptable. Other guidance, such as when 'follow through' is allowed, is provided as necessary.

Questions with a *Using and applying mathematics* element are identified in the mark scheme by an encircled U with a number that indicates the significance of using and applying mathematics in answering the question. The U number can be any whole number from 1 to the number of marks in the question.

# General guidance

## Using the mark schemes

Answers that are numerically equivalent or algebraically equivalent are acceptable unless the mark schemes state otherwise.

In order to ensure consistency of marking, the most frequent procedural queries are listed on the following two pages with the prescribed correct action. This is followed by further guidance, relating to marking of questions that involve money, time, algebra, coordinates or negative numbers. Unless otherwise specified in the mark schemes, markers should apply the following guidelines in all cases.

**What if ...**

<i>The pupil's response does not match closely any of the examples given.</i>	Markers should use their judgement in deciding whether the response corresponds with the statement of requirements given in the <b>Correct response</b> column. Refer also to the <b>Additional guidance</b> column.
<i>The pupil has responded in a non-standard way.</i>	Calculations, formulae and written responses do not have to be set out in any particular format. Pupils may provide evidence in any form as long as its meaning can be understood. Diagrams, symbols or words are acceptable for explanations or for indicating a response. Any correct method of setting out working, however idiosyncratic, is acceptable. Provided there is no ambiguity, condone the continental practice of using a comma for a decimal point.
<i>The pupil has made a conceptual error.</i>	In some questions, a method mark is available provided the pupil has made a computational, rather than conceptual, error. A computational error is a slip such as writing $4 \times 6 = 18$ in an otherwise correct long multiplication. A conceptual error is a more serious misunderstanding of the relevant mathematics; when such an error is seen, no method marks may be awarded. Examples of conceptual errors are: misunderstanding of place value, such as multiplying by 2 rather than 20 when calculating $35 \times 27$ ; subtracting the smaller digit from the larger in calculations such as $45 - 26$ to give the answer 21; incorrect signs when working with negative numbers.
<i>The pupil's accuracy is marginal according to the overlay provided.</i>	Overlays can never be 100% accurate. However, provided the answer is within, or touches, the boundaries given, the mark(s) should be awarded.
<i>The pupil's answer correctly follows through from earlier incorrect work.</i>	Follow through marks may be awarded only when specifically stated in the mark schemes, but should not be allowed if the difficulty level of the question has been lowered. Either the correct response or an acceptable follow through response should be marked as correct.
<i>There appears to be a misreading affecting the working.</i>	This is when the pupil misreads the information given in the question and uses different information. If the original intention or difficulty level of the question is not reduced, deduct one mark only. If the original intention or difficulty level is reduced, do not award any marks for the question part.
<i>The correct answer is in the wrong place.</i>	Where a pupil has shown understanding of the question, the mark(s) should be given. In particular, where a word or number response is expected, a pupil may meet the requirement by annotating a graph or labelling a diagram elsewhere in the question.

<i>The final answer is wrong but the correct answer is shown in the working.</i>	Where appropriate, detailed guidance will be given in the mark schemes, and must be adhered to. If no guidance is given, markers will need to examine each case to decide whether:	
	the incorrect answer is due to a transcription error	If so, award the mark.
	in questions not testing accuracy, the correct answer has been given but then rounded or truncated	If so, award the mark.
	the pupil has continued to give redundant extra working which does not contradict work already done	If so, award the mark.
	the pupil has continued, in the same part of the question, to give redundant extra working which does contradict work already done.	If so, do not award the mark. Where a question part carries more than one mark, only the final mark should be withheld.
<i>The pupil's answer is correct but the wrong working is seen.</i>	A correct response should always be marked as correct, unless the mark scheme state otherwise.	
<i>The correct response has been crossed (or rubbed) out and not replaced.</i>	Mark, according to the mark schemes, any legible crossed (or rubbed) out work that has not been replaced.	
<i>More than one answer is given.</i>	If all answers given are correct or a range of answers is given, all of which are correct, the mark should be awarded unless prohibited by the mark schemes. If both correct and incorrect responses are given, no mark should be awarded.	
<i>The answer is correct but, in a later part of the question, the pupil has contradicted this response.</i>	A mark given for one part should not be disallowed for working or answers given in a different part, unless the mark schemes specifically state otherwise.	

## Marking specific types of question

<b>Responses involving money</b> <i>For example: £3.20 £7</i>	
Accept ✓	Do not accept ✕
✓ Any unambiguous indication of the correct amount eg £3.20(p), £3 20, £3,20, 3 pounds 20, £3-20, £3 20 pence, £3:20, £7.00  ✓ The £ sign is usually already printed in the answer space. Where the pupil writes an answer other than in the answer space, or crosses out the £ sign, accept an answer with correct units in pounds and/or pence eg 320p 700p	✕ Incorrect or ambiguous use of pounds or pence eg £320, £320p or £700p, or 3.20 or 3.20p not in the answer space  ✕ Incorrect placement of decimal points, spaces, etc or incorrect use or omission of 0 eg £3.2, £3 200, £32 0, £3-2-0, £7.0

<b>Responses involving time</b> <i>A time interval For example: 2 hours 30 mins</i>	
Accept ✓	Take care ! Do not accept ✕
✓ Any unambiguous indication eg 2.5 (hours), 2h 30  ✓ Digital electronic time ie 2:30	✕ Incorrect or ambiguous time interval eg 2.3(h), 2.30, 2-30, 2h 3, 2.30min  ! The time unit, hours or minutes, is usually printed in the answer space. Where the pupil writes an answer other than in the answer space, or crosses out the given unit, accept an answer with correct units in hours or minutes, unless the question has asked for a specific unit to be used
<b>A specific time For example: 8.40am 17:20</b>	
Accept ✓	Do not accept ✕
✓ Any unambiguous, correct indication eg 08.40, 8.40, 8:40, 0840, 8 40, 8-40, twenty to nine, 8,40  ✓ Unambiguous change to 12 or 24 hour clock eg 17:20 as 5:20pm, 17:20pm	✕ Incorrect time eg 8.4am, 8.40pm  ✕ Incorrect placement of separators, spaces, etc or incorrect use or omission of 0 eg 840, 8:4:0, 084, 84

<b>Responses involving the use of algebra</b> For example: $2 + n$ $n + 2$ $2n$ $\frac{n}{2}$ $n^2$	
Accept ✓	Take care ! Do not accept ✕
✓ Unambiguous use of a different case or variable eg $N$ used for $n$ $x$ used for $n$	! Unconventional notation eg $n \times 2$ or $2 \times n$ or $n2$ or $n + n$ for $2n$ $n \times n$ for $n^2$ $n \div 2$ for $\frac{n}{2}$ or $\frac{1}{2}n$ $2 + 1n$ for $2 + n$ $2 + 0n$ for $2$ Within a question that demands simplification, do not accept as part of a final answer involving algebra Accept within a method when awarding partial credit, or within an explanation or general working ✕ Embedded values given when solving equations eg in solving $3x + 2 = 32$ , $3 \times 10 + 2 = 32$ for $x = 10$ To avoid penalising the two types of error below more than once within each question, do not award the mark for the <i>first</i> occurrence of each type within each question. Where a question part carries more than one mark, only the final mark should be withheld
✓ Words used to precede or follow equations or expressions eg $t = n + 2$ tiles or tiles = $t = n + 2$ for $t = n + 2$	! Words or units used within equations or expressions eg $n$ tiles + 2 $n$ cm + 2 Do not accept on their own Ignore if accompanying an acceptable response
✓ Unambiguous letters used to indicate expressions eg $t = n + 2$ for $n + 2$	✕ Ambiguous letters used to indicate expressions eg $n = n + 2$ for $n + 2$

<b>Responses involving coordinates</b> <i>For example: ( 5, 7 )</i>	
Accept ✓	Do not accept ✕
✓ Unconventional notation eg ( 05, 07 ) ( five, seven ) $\begin{smallmatrix} x & y \\ ( 5, & 7 ) \end{smallmatrix}$ $( x = 5, y = 7 )$	✕ Incorrect or ambiguous notation eg ( 7, 5 ) $\begin{smallmatrix} y & x \\ ( 7, & 5 ) \end{smallmatrix}$ $( 5x, 7y )$ $( 5^x, 7^y )$ $( x - 5, y - 7 )$

<b>Responses involving negative numbers</b> <i>For example: -2</i>	
Accept ✓	Do not accept ✕
	To avoid penalising the error below more than once within each question, do not award the mark for the <i>first</i> occurrence of the error within each question. Where a question part carries more than one mark, only the final mark should be withheld  ✕ Incorrect notation eg 2-



### Recording marks awarded on the test paper

All questions, even those not attempted by the pupil, will be marked with a 1 or a 0 entered in each marking space. Where 2m can be split into 1m gained and 1m lost, with no explicit order, then this will be recorded by the marker as 1  
0

The total marks awarded for a double page will be written in the box at the bottom of the right-hand page, and the total number of marks obtained on the paper will be recorded on the front of the test paper.

A total of 100 marks is available (40 from Paper 1, 40 from Paper 2 and 20 from the mental mathematics test).


### Awarding levels

The sum of the marks gained on Paper 1, Paper 2 and the mental mathematics paper determines the level awarded. Level threshold tables, which show the mark ranges for the award of different levels, will be available on the QCA website [www.qca.org.uk](http://www.qca.org.uk) from 21 June 2004. QCA will also send a copy to each school by 2 July 2004.

Schools will be notified of pupils' results by means of a marksheet, which will be returned to schools by the external marking agency with the pupils' marked scripts. The marksheet will include pupils' scores on the test papers and the levels awarded.

**BLANK PAGE**

# Mark scheme for Paper 1

Question		100	
1		Correct response	Additional guidance
	2m	Indicates all correct pairs, ie 	✓ <i>Unambiguous indication</i>  ! <i>Any number joined to more than one other</i> Do not accept as part of a correct pair
	or 1m	Indicates at least two correct pairs	


Question	Speed limits		
2		Correct response	Additional guidance
a	1m	50	
b	1m	10	



















Question	Number grid											
3		Correct response	Additional guidance									
	1m	<div>Gives all three correct values, ie</div> <div><table><tr><td>852</td><td>853</td><td>854</td></tr><tr><td>842</td><td>843</td><td>844</td></tr><tr><td>832</td><td>833</td><td>834</td></tr></table></div>	852	853	854	842	843	844	832	833	834	
852	853	854										
842	843	844										
832	833	834										

Question	Total of 50		
4		Correct response	Additional guidance
a	1m	24	
b	1m  (U1)	<p>Gives any two numbers that add to 34 eg</p> <ul style="list-style-type: none"> <li>■ 17, 17</li> <li>■ 14, 20</li> <li>■ 1, 33</li> </ul>	<p>✓ <i>Fractions, decimals, a negative number or zero</i></p> <p>✗ <i>Blank for zero</i></p>

Question	Properties of shape		
5		Correct response	Additional guidance
	2m	Makes all four correct decisions, ie  <div style="display: flex; justify-content: space-around;"> <div>True <input checked="" type="checkbox"/></div> <div>False <input type="checkbox"/></div> </div> <div style="display: flex; justify-content: space-around;"> <div><input type="checkbox"/></div> <div><input checked="" type="checkbox"/></div> </div> <div style="display: flex; justify-content: space-around;"> <div><input type="checkbox"/></div> <div><input checked="" type="checkbox"/></div> </div> <div style="display: flex; justify-content: space-around;"> <div><input checked="" type="checkbox"/></div> <div><input type="checkbox"/></div> </div>	<b>! Other indication</b> Accept any unambiguous indication but do not accept blanks for false
	or 1m	Makes three correct decisions	

Question	Number chains		
6		Correct response	Additional guidance
a	1m	Gives both correct numbers in the correct order, ie 13 and 16	
	1m	Gives both correct numbers in the correct order, ie 16 and 32	
b	1m	States or implies that the rule is subtract 4 eg <ul style="list-style-type: none"> <li>■ Minus four</li> <li>■ -4</li> <li>■ Take away 4</li> <li>■ 4 less</li> <li>■ 4 smaller</li> </ul>	<b>✓ Minimally acceptable rule</b> eg <ul style="list-style-type: none"> <li>♦ Count down 4</li> <li>♦ Down in 4s</li> <li>♦ Go backwards 4</li> </ul> <b>✗ Incomplete rule or incorrect notation</b> eg <ul style="list-style-type: none"> <li>♦ 4</li> <li>♦ Subtract</li> <li>♦ 4-</li> </ul> <b>! Follow through from their rule for the first mark</b> Accept provided their rule was generalised eg, from their rule as 'halve' accept <ul style="list-style-type: none"> <li>♦ 2</li> </ul> eg, from their rule as '4' do not accept <ul style="list-style-type: none"> <li>♦ 4</li> </ul>
	1m	0	

Question	Which shape?		
7		Correct response	Additional guidance
	1m	<p>Indicates the correct shape, ie</p> 	





Question	Survey results														
8		Correct response	Additional guidance												
	2m	<p>Draws the results for both tennis and cricket correctly, ie</p> <table><tr><td>football</td><td></td></tr><tr><td>tennis</td><td></td></tr><tr><td>cricket</td><td></td></tr></table>	football		tennis		cricket		<p>! <i>Circles not drawn accurately or not shaded</i> Accept provided the pupil's intention is clear</p> <p>! <i>Symbols other than circles used</i> Provided the number of symbols is clearly intended to represent 2 for tennis and 3 for cricket, withhold only one mark eg, for one mark accept ♦</p> <table><tr><td>football</td><td></td></tr><tr><td>tennis</td><td></td></tr><tr><td>cricket</td><td></td></tr></table>	football		tennis		cricket	
	football														
tennis															
cricket															
football															
tennis															
cricket															
or 1m	<p>Draws the result for either tennis or cricket correctly</p> <p>or</p> <p>Draws an incorrect number of circles for tennis but then follows through to give their correct number of circles for cricket</p> <p>eg</p> <ul style="list-style-type: none"><li>■ 3 circles for tennis, 4.5 circles for cricket</li><li>■ 6 circles for tennis, 9 circles for cricket</li><li>■ 1 circle for tennis, <math>1\frac{1}{2}</math> circles for cricket</li></ul>														

U1



Question	Balancing		
9		Correct response	Additional guidance
	1m	4	✓ Follow through as their first mark + 2
	U1		
	1m	6	



Question	School timetable		
10		Correct response	Additional guidance
a	1m	45	
b	1m	20	
c	1m	7	

Question	Missing numbers		
11		Correct response	Additional guidance
	1m	6.2	✓ <i>Equivalent fractions or decimals</i>
	1m	1.1	

Question	Spinners		
12		Correct response	Additional guidance
	1m	<p>Indicates half of the spinner eg</p> <p>■</p> 	<p>! <i>Other half not left blank</i> Accept provided unambiguous eg, accept</p> <p>♦</p>  <p>eg, do not accept</p> <p>♦</p>  <p>! <i>Parts of triangles shaded</i> Accept provided the pupil's intention to shade half of the spinner is clear eg, accept</p> <p>♦</p> 



Question		Charity	
13		Correct response	Additional guidance
a	1m	40	
b	1m	<div>Indicates on the diagram the amount £850 eg ▪ </div>	<div>! <i>Indication not accurate or diagram not shaded</i> Accept provided the pupil's intention is clear</div> <div>! <i>Unconventional indication of half a square</i> Accept provided unambiguous eg, for half a square accept • </div>


Question	Net		
14		Correct response	Additional guidance
	1m	<p>Indicates the correct face eg</p> <p>■</p> 	✓ <i>Unambiguous indication</i>
	1m	<p>Indicates the correct face eg</p> <p>■</p> 	

Question	Two numbers		
15		Correct response	Additional guidance
	1m	3 and 8, either order	
	U1		

Question	Which is bigger?		
16		Correct response	Additional guidance
	1m	Indicates all three correct numbers, ie <div>1001   999</div> <div>3   -5</div> <div>4   3.9</div> <div>2.72   2.8</div>	

Question	Patterns		
17		Correct response	Additional guidance
a	1m	Gives a correct pattern eg <ul style="list-style-type: none"> <li>■ Add 9</li> <li>■ + 9</li> <li>■ Subtract 9</li> <li>■ Difference of 9</li> </ul>	<p>✓ <i>Minimally acceptable pattern</i></p> <p>eg</p> <ul style="list-style-type: none"> <li>♦ Up in 9s</li> <li>♦ Down in 9s</li> <li>♦ Take 9</li> <li>♦ <math>26 + 9 = 35</math></li> <li>   <math>35 + 9 = 44</math></li> <li>   <math>44 + 9 = 53</math></li> </ul> <p>✓ <i>Two or more steps</i></p> <p>eg</p> <ul style="list-style-type: none"> <li>♦ Add 10 subtract 1</li> </ul> <p>✗ <i>Incomplete pattern or incorrect notation</i></p> <p>eg</p> <ul style="list-style-type: none"> <li>♦ 9</li> <li>♦ Add</li> <li>♦ 9–</li> </ul> <p>✗ <i>Separate patterns for tens and units</i></p> <p>eg</p> <ul style="list-style-type: none"> <li>♦ Units – 1, tens + 1</li> </ul>
b	1m	Joins four numbers vertically aligned	<p>✓ <i>Any unambiguous indication, including more than one correct set joined</i></p>

Question	Missing fractions		
18		Correct response	Additional guidance
	1m	$\frac{1}{4}$ or equivalent fraction	✓ <i>Decimal fraction</i>

Question	Triangles		
19		Correct response	Additional guidance
	1m	8	<p>! <i>Triangles indicated on diagram</i> Ignore</p> <p>! <i>Answer of 8cm (or 8cm<sup>2</sup>)</i> As this could result from adding the given dimensions, do not accept unless the 8 is supported by further working eg, accept</p> <p>• </p> <p>Answer: 8cm</p>
	U1		

Question	Long jump		
20		Correct response	Additional guidance
a	1m	3.96 or equivalent	
b	1m	0.2 or equivalent	
	1m	20	<p>! <i>Follow through</i> Accept follow through as their first mark in part (b) <math>\times 100</math>, provided their first mark is not an integer</p>

Question	Chocolate		
21		Correct response	Additional guidance
	1m	5 p	
	1m	1972	<p>✓ <i>Unambiguous indication of year</i> eg, for the second mark</p> <p>• 72</p>
	1m	1997 and 2002, either order	

**BLANK PAGE**

# Mark scheme for Paper 2

Question	Beads		
1		Correct response	Additional guidance
	1m	24	✗ <i>Incomplete processing</i> eg <ul style="list-style-type: none"> <li>• <math>2 \times 12</math></li> <li>• <math>12 + 12</math></li> </ul>

Question	Missing numbers		
2		Correct response	Additional guidance
	1m	234	
	1m	351	
	1m	34	

Question	Teachers		
3		Correct response	Additional guidance
	1m	Dr Rawley	<b>✓ Unambiguous indication</b> eg <ul style="list-style-type: none"> <li>♦ Dr R</li> <li>♦ Dr</li> </ul>

Question	Coins		
4		Correct response	Additional guidance
a	1m	Gives the values of four coins that sum to 25p, in any order eg <ul style="list-style-type: none"> <li>■ 20p, 2p, 2p, 1p</li> <li>■ 10p, 5p, 5p, 5p</li> </ul>	<b>! Units omitted</b> Condone
	U1		
b	1m	Gives the values of five coins that sum to £1.25, but do not include £1, ie 50p, 50p, 10p, 10p, 5p, in any order	
	U1		

Question	Baby		
5		Correct response	Additional guidance
a	1m	Indicates only 3kg, ie <div style="text-align: center;"> <input type="checkbox"/>  <input checked="" type="checkbox"/>  <input type="checkbox"/>  <input type="checkbox"/> </div>	
b	1m	Indicates only 300 millilitres, ie <div style="text-align: center;"> <input type="checkbox"/>  <input checked="" type="checkbox"/>  <input type="checkbox"/>  <input type="checkbox"/> </div>	








Question	Sales		
6		Correct response	Additional guidance
a	1m	8	
b	1m	10	<p><b>! Reference to money left over</b> Do not accept fractions of vests eg</p> <ul style="list-style-type: none"> <li>♦ 10.05</li> </ul> <p>However, accept reference to a remainder, even if incorrect eg</p> <ul style="list-style-type: none"> <li>♦ 10 with 10p change</li> <li>♦ 10 r1</li> </ul>
c	2m  <i>or</i> 1m	<p>£ 11.02</p> <p>Shows the digits 1102</p> <p>or</p> <p>Shows the digits 898</p> <p>or</p> <p>Shows a complete correct method with not more than one error eg</p> <ul style="list-style-type: none"> <li>■ <math>2 \times 2.5 + 2 \times 1.99</math> then subtract from 20</li> <li>■ <math>20 - (5 + 3.98)</math></li> <li>■ <math>2 \times 2.5 = 5</math> <math>2 \times 1.99 = 2.99</math> (error) <math>20 - (2.99 + 5) = £ 12.01</math></li> </ul> <p>or</p> <p>The only error is to use only one T-shirt and one vest eg</p> <ul style="list-style-type: none"> <li>■ £ 15.51</li> </ul>	<p><b>! For 1m, necessary brackets omitted</b> As this is a level 4 mark, condone eg, accept</p> <ul style="list-style-type: none"> <li>♦ <math>20 - 5 + 3.98</math></li> </ul>

Question	Dice sum		
7		Correct response	Additional guidance
	1m	Indicates only the values 20 and 1, ie <div style="text-align: center;"> 12      5      <span style="border: 1px solid black; border-radius: 50%; padding: 2px 10px;">20</span>      8      <span style="border: 1px solid black; border-radius: 50%; padding: 2px 10px;">1</span> </div>	

Question	Place value		
8		Correct response	Additional guidance
	1m	Tenths	✗ <i>Answer not in words</i> eg ♦ 10ths

Question	Area		
9		Correct response	Additional guidance
a	1m	Gives a correct explanation eg <ul style="list-style-type: none"> <li>■ It has six sides</li> <li>■ It has 6 angles</li> <li>■ It has 6 corners</li> </ul>	✓ <i>Minimally acceptable explanation</i> eg <ul style="list-style-type: none"> <li>♦ 6 edges</li> <li>♦ 6 lines</li> <li>♦ 6 points</li> <li>♦ 6 faces</li> </ul> ✗ <i>Incomplete explanation</i> eg <ul style="list-style-type: none"> <li>♦ 6</li> </ul>
b	1m	7.5 or equivalent	✗ <i>Incorrect notation</i> eg <ul style="list-style-type: none"> <li>♦ <math>7.\frac{1}{2}</math></li> </ul>

Question	Area (cont)		
9		Correct response	Additional guidance
c	1m	<p>Draws a triangle with an area of <math>2\text{cm}^2</math></p> <p>The most common correct drawings:</p> <p>Have integer values for both the base and perpendicular height eg, for base 2, perpendicular height 2</p> <ul style="list-style-type: none"> <li>  </li> </ul> <p>eg, for base 4, perpendicular height 1</p> <ul style="list-style-type: none"> <li>  </li> </ul> <p>eg, for base 1, perpendicular height 4</p> <ul style="list-style-type: none"> <li>  </li> </ul> <p>Have the base, or the perpendicular height, or both, as a non-integer value, but supporting working shows this is deliberate eg, for base 3, perpendicular height <math>1\frac{1}{3}</math></p> <ul style="list-style-type: none"> <li>  </li> </ul> <p>eg, for base 2.5, perpendicular height 1.6</p> <ul style="list-style-type: none"> <li>  </li> </ul> <p>2.5 and 1.6 seen</p>	<p><b>! Lines not ruled or accurate</b> Accept provided the pupil's intention is clear</p> <p><b>! Base or perpendicular height not accurate</b> Accept provided the pupil's intention is clear</p>

Question	Equations		
10		Correct response	Additional guidance
	1m	12	<b>! Embedded value or incorrect notation</b> eg • $a = 12 + 12 = 24$ • $b = 36 - 12 = 24$ Penalise only the first occurrence
	1m	36	

Question	Ribbon		
11		Correct response	Additional guidance
a	1m	4	
b	1m	£ 1.40	

Question	America		
12		Correct response	Additional guidance
a	1m	701	
b	1m	Seattle and New York, either order	
c	1m	364.8 or equivalent	✓ <i>Unambiguous indication</i> eg • S and NY  ✓ <i>Answer of 364 or 365</i>

Question	Angle sizing		
13		Correct response	Additional guidance
a	1m	Indicates angle $b$	<b>! Angle measured</b> Accept an answer of $30 \pm 2^\circ$


Question	Angle sizing (cont)		
13		Correct response	Additional guidance
b	1m	<p>Indicates No and gives a correct explanation</p> <p>The most common correct explanations:</p> <p>Qualify why the angles are the same size</p> <p>eg, by referring to the amount of turn</p> <ul style="list-style-type: none"> <li>■ Both turn the same amount</li> </ul> <p>eg, by measuring (accept <math>45 \pm 2^\circ</math>)</p> <ul style="list-style-type: none"> <li>■ Both are <math>45^\circ</math></li> </ul> <p>eg, by referring to transformation</p> <ul style="list-style-type: none"> <li>■ If you flip the first one, it fits onto the second one exactly</li> </ul> <p>eg, by referring to enlargement</p> <ul style="list-style-type: none"> <li>■ They are the same diagram but one has shrunk</li> <li>■ If you extend both lines on the first diagram across one square, you get the same picture as the second</li> </ul> <p>Address the misconception by explaining that the lengths of the arms are irrelevant</p> <p>eg</p> <ul style="list-style-type: none"> <li>■ Just because the arms are longer it doesn't make it bigger</li> <li>■ Just because one picture is smaller doesn't mean the angle is smaller</li> </ul> <p>Address the misconception by referring to transformation or enlargement, but focusing on what is different</p> <p>eg</p> <ul style="list-style-type: none"> <li>■ It's just that it's the other way round</li> <li>■ It's just that the angle is turned round</li> <li>■ It's just that one is stretched</li> <li>■ It's just that one is smaller</li> <li>■ It's just that one is bigger</li> <li>■ It's just that the shapes are different</li> </ul>	<p><b>! Incorrect units</b> Condone</p> <p><b>✓ Minimally acceptable explanation</b> eg</p> <ul style="list-style-type: none"> <li>♦ Same turn</li> <li>♦ Markers are the same size</li> <li>♦ I measured</li> <li>♦ They fit on top of each other</li> <li>♦ I used tracing paper</li> <li>♦ Both go through the diagonal</li> <li>♦ Angles same, triangles different</li> </ul> <p><b>✗ Incomplete explanation</b> eg</p> <ul style="list-style-type: none"> <li>♦ Same corners</li> <li>♦ Same angles</li> <li>♦ Same size</li> <li>♦ They fit</li> <li>♦ Same picture</li> <li>♦ Same size as boxes on the grid</li> <li>♦ Same distance between the lines</li> <li>♦ Same number of squares</li> </ul> <p><b>✓ Minimally acceptable explanation</b> eg</p> <ul style="list-style-type: none"> <li>♦ It's just that the lines are longer</li> <li>♦ It's just because the lines are different</li> <li>♦ He only thinks that because the line is longer</li> <li>♦ The second diagram is one square bigger</li> <li>♦ It just goes through one extra square</li> </ul> <p><b>! Explanation does not state that it is referring to a misconception</b> Condone eg, accept</p> <ul style="list-style-type: none"> <li>♦ The lines are longer</li> <li>♦ Different sizes</li> </ul> <p><b>✓ Minimally acceptable explanation</b> eg</p> <ul style="list-style-type: none"> <li>♦ It's just that they are different sizes</li> </ul> <p><b>✗ Incomplete explanation</b> eg</p> <ul style="list-style-type: none"> <li>♦ It's the lines</li> <li>♦ One is small</li> </ul>







U1

Question	3.5		
14		Correct response	Additional guidance
a	1m	50	
b	1m	30	
c	1m	50	

Question		Restaurant	
15		Correct response	Additional guidance
a	1m	£ 179.40	
b	2m or 1m	<p>5</p> <p>Shows the digits 3225</p> <p>or</p> <p>Shows the value 2.5 or 4.5, or equivalent</p> <p>or</p> <p>Shows or implies a complete correct method with not more than one error, even if their final answer is not an integer, or is rounded or truncated eg</p> <ul style="list-style-type: none"> <li>■ <math>12.90 + 12.90 + 6.45 + 6.45 + 6.45 + 6.45 + 6.45 = 58.05</math></li> <li>■ <math>12.90 \times 2 = 25.80</math>,  <math>58.05 - 25.80 = 23.75</math> (error)  <math>23.75 \div 6.45 = 3.68</math> so 3</li> </ul>	

U1

Question		School bags	
16		Correct response	Additional guidance
a	1m	<p>Draws a bar on the chart to indicate 2.5 kg, aligned with Rita's name, ie</p> 	<p><b>! Bar not shaded, or not of correct width, or not ruled or accurate</b></p> <p>Accept provided the pupil's intention is clear</p>
b	1m	11	

Question	Turning		
17		Correct response	Additional guidance
	2m	<p>Makes all four correct decisions, ie</p> <p>  .....            .....         </p> <p>  .....            .....         </p>	<p><b>! Indication other than ✓ and ✕ used</b></p> <p>Accept provided unambiguous</p> <p>eg, accept</p> <ul style="list-style-type: none"> <li>• Y for ✓, N for ✕</li> </ul> <p>eg, do not accept</p> <ul style="list-style-type: none"> <li>• Blank for ✕</li> </ul>
	<p>or</p> <p>1m</p>	<p>Makes three correct decisions</p> <p>or</p> <p>Indicates the two shapes that do look the same but makes no decision for the other two shapes, ie</p> <p>           .....  .....         </p> <p>  ..... .....         </p>	



Question		<b>Questionnaire</b>	
<b>18</b>		<b>Correct response</b>	<b>Additional guidance</b>
a	1m  <div style="text-align: center;">U1</div>	<p>Gives a correct explanation eg</p> <ul style="list-style-type: none"> <li>■ She is 18 and that's neither less than 18 nor more than 18</li> <li>■ 18 isn't less than 18 or more than 18</li> <li>■ It says more than or less than 18 but not 18</li> <li>■ Alice is in the middle</li> <li>■ 18 is in between</li> <li>■ She is over less than and under more than</li> <li>■ It should say 18 or more</li> </ul>	<p>✓ <i>Minimally acceptable explanation</i> eg</p> <ul style="list-style-type: none"> <li>♦ She's not less than or more than 18</li> <li>♦ She's neither of them</li> <li>♦ She's exactly 18</li> <li>♦ There's no box to tick for 18</li> </ul> <p>✗ <i>Incomplete explanation</i> eg</p> <ul style="list-style-type: none"> <li>♦ It says less than 18 and more than 18</li> <li>♦ It doesn't say 18</li> <li>♦ Because she is 18</li> <li>♦ She can't tick either box</li> </ul>
b	1m	<p>Gives a correct phrase that describes all ages that are 18 or over eg</p> <ul style="list-style-type: none"> <li>■ 18 or more than 18 years old</li> <li>■ 18 years old or more</li> <li>■ 18 +</li> <li>■ Not less than 18 years old</li> <li>■ More than 17</li> </ul>	<p>✓ <i>Minimally acceptable phrase</i> eg</p> <ul style="list-style-type: none"> <li>♦ Greater than or the same (18 implied)</li> <li>♦ Adult</li> <li>♦ Other</li> </ul> <p>✗ <i>Non-distinct category</i> eg</p> <ul style="list-style-type: none"> <li>♦ 17 years or more</li> </ul>

Question	Rectangles		
19		Correct response	Additional guidance
	<p>1m</p> <p>U1</p>	<p>Indicates Yes and gives a correct explanation</p> <p>The most common correct explanations:</p> <p>Show that the fraction is <math>\frac{1}{3}</math> for both rectangles</p> <p>eg</p> <ul style="list-style-type: none"> <li>■ First rectangle has 6 squares, <math>\frac{1}{3}</math> of 6 = 2</li> <li>Second rectangle has 12 squares, <math>\frac{1}{3}</math> of 12 = 4</li> <li>■ 2 is a third of 6, 4 is a third of 12</li> <li>■ <math>6 \div 3 = 2</math> and <math>12 \div 3 = 4</math></li> </ul> <p>Use equivalent fractions</p> <p>eg</p> <ul style="list-style-type: none"> <li>■ <math>\frac{2}{6} = \frac{4}{12}</math></li> <li>■ <math>\frac{1}{3} = \frac{2}{6}</math></li> </ul> <p>Reason spatially</p> <p>eg</p> <ul style="list-style-type: none"> <li>■ The 2nd rectangle is twice the area of the 1st, so twice as much should be shaded and it is</li> <li>■ Double 6 is 12, double 2 is 4</li> </ul>	<p>✓ <i>Minimally acceptable explanation</i></p> <p>eg</p> <ul style="list-style-type: none"> <li>♦ <math>\frac{1}{3}</math></li> <li>♦ Both divided by 3</li> </ul> <p>✓ <i>Minimally acceptable explanation</i></p> <p>eg</p> <ul style="list-style-type: none"> <li>♦ One is 2 out of 6 and the other is 4 out of 12</li> </ul> <p>✓ <i>Minimally acceptable explanation</i></p> <p>eg</p> <ul style="list-style-type: none"> <li>♦ Three shaded bits fit in each rectangle</li> <li>♦ You can get two more shaded bits in each</li> </ul> <p>! <i>Incorrect description of units of area</i></p> <p>Condone</p> <p>eg, accept</p> <ul style="list-style-type: none"> <li>♦ First is one square out of 3, second is two squares out of 6</li> </ul> <p>✗ <i>Incomplete explanation</i></p> <p>eg</p> <ul style="list-style-type: none"> <li>♦ In the first there are 2 shaded and in the second there are 4 shaded</li> <li>♦ The second rectangle is twice the area of the first</li> <li>♦ The bigger one has twice as much shaded</li> <li>♦ The second is double the first</li> <li>♦ The same proportion is shaded in each</li> </ul>

**BLANK PAGE**

# Mark scheme

## Time: 5 seconds

1	806	Do not accept responses given in words
---	-----	--

2	600 m	
---	-------	--

3	32	
---	----	--

4	38	Accept embedded value, eg $62 + 38 = 100$
---	----	---

5	200	
---	-----	--

6	3.5	Accept equivalent fractions or decimals
---	-----	---

## Time: 10 seconds

7	21 days	
---	---------	--

8	1	Accept responses in words or on the shape, provided unambiguous
---	---	---

9	2 (:00) pm	Do not accept unless pm is shown Do not accept equivalent presentations, eg 14:00
---	------------	--

10	40	
----	----	--

11	( 5 , 3 )	
----	-----------	--


**Time: 10 seconds (continued)**

<b>12</b>	<b>14 cm</b>	
-----------	--------------	--

<b>13</b>	<b>9</b>	
-----------	----------	--

<b>14</b>	<b>6 cm<sup>2</sup></b>	
-----------	-------------------------	--

**Time: 15 seconds**

<b>15</b>		
	Accept any unambiguous indication	

<b>16</b>	<b>60</b>	
-----------	-----------	--

<b>17</b>	<b>17 minutes</b>	
-----------	-------------------	--

<b>18</b>	<b>25</b>	Accept embedded value, eg 3 × 25
-----------	-----------	-------------------------------------

<b>19</b>	<b>16</b>	Do not accept incomplete processing eg 18 – 2
-----------	-----------	---

<b>20</b>	<b>12 pupils</b>	
-----------	------------------	--

**BLANK PAGE**

**BLANK PAGE**

First published in 2004

© Qualifications and Curriculum Authority 2004

Reproduction, storage, adaptation or translation, in any form or by any means, of this publication is prohibited without prior written permission of the publisher, unless within the terms of licences issued by the Copyright Licensing Agency. Excerpts may be reproduced for the purpose of research, private study, criticism or review, or by educational institutions solely for educational purposes, without permission, provided full acknowledgement is given.

Produced in Great Britain by the Qualifications and Curriculum Authority under the authority and superintendence of the Controller of Her Majesty's Stationery Office and Queen's Printer of Acts of Parliament.

The Qualifications and Curriculum Authority is an exempt charity under Schedule 2 of the Charities Act 1993.

Qualifications and Curriculum Authority  
83 Piccadilly  
London  
W1J 8QA  
[www.qca.org.uk/](http://www.qca.org.uk/)

**Further teacher packs may be purchased by contacting:**

QCA Publications, PO Box 99, Sudbury, Suffolk CO10 2SN  
(tel: 01787 884444; fax: 01787 312950)

**Order ref:** QCA/04/1241

259915